This article was published in Crystal Growth and Design, 16(7), 3748-3755, 2016 http://dx.doi.org/10.1021/acs.cgd.6b00262

Protein crystallization as a process step in a novel meso oscillatory flow reactor: study of lysozyme phase behavior

Filipa Castro^{1, 2}, António Ferreira¹, José A. Teixeira² and Fernando Rocha¹

1. LEPABE - Laboratory for Process Engineering, Environment, Biotechnology and Energy, Faculty of Engineering of the University of Porto, Rua Roberto Frias, s/n, 4200-465 Porto, Portugal.

CEB - Centre for Biological Engineering, University of Minho, Campus de Gualtar,
 4710-057 Braga, Portugal.

Mailing addresses:

Faculty of Engineering of the University of Porto, Rua do Dr. Roberto Frias, s/n, 4200-465 Porto, PORTUGAL

Tel.: +351 22 508 16 87

E-mail: filipaj@fe.up.pt

Abstract

In the present work, it is reported for the first time the study of the applicability of a novel meso oscillatory flow reactor (meso-OFR) for protein crystallization as a process step. Crystallization assays carried out in the designed device enabled to derive a two-dimensional lysozyme phase diagram (lysozyme concentration against sodium chloride concentration). Results evidence the formation of several types of crystals (different size and shape), with a strong influence of salt concentration on crystal shape. Results also show that lysozyme remains active at the end of the experiments. Furthermore, it was possible to verify the reduction of the metastability zone when compared to lysozyme crystallization conducted under quiescent conditions. Induction times were also measured by online monitoring of the turbidity of the crystallization solution, obtained

values being between 41 and 900 minutes. Beyond providing improved understanding of protein phase behavior under oscillatory flow mixing, the results are very promising regarding the feasibility of the designed methodology for protein crystallization as a process step.

Introduction

Protein crystallization has been focused on the production of diffraction-quality single crystals for protein structure determination by crystallography^{1–3}. Research conducted during the last years has led to improved methodologies for the production of high-quality protein crystals allowing obtaining high-quality X-ray diffraction patterns, and leading thus to information on structure biology³. However, protein crystallization also offers many advantages as a means of protein purification at the industrial scale. Compared to conventional purification techniques, such as chromatography, crystallization is a cost-effective alternative since high-purity proteins can be obtained from a single-step operation^{2,4–8}. Further, protein crystals have a longer storage life and greater purity than the dissolved form, which opens up the number of potential applications for the pharmaceutical industry, from formulation and storage of proteins to drug delivery^{1,4,9}.

Unlike protein structure determination, where single, large, stable and well-diffracting crystals are required and usually obtained by slow-growing processes, rapid and quantitative crystallization is needed for large-scale protein purification processes. As most of the industrial processes, recovery yield as well as purity must be high and the crystallization time low, so that growth kinetics should be fast (hours)^{2,4,10,11}. Moreover, reagents must be inexpensive, compounds should be of pharmaceutical grade and proteins must not lose their potency after crystals are redissolved^{1,11}. In contrast to structural analysis, large single crystal shape is not as important, but crystals with a certain size, shape and mechanical strength are desirable, in order to be easily separated from their mother liquor, namely by filtration or centrifugation^{1,2,10–12}.

Identification of crystallization conditions of a protein is still difficult, particularly for purification purposes where the crystallization step has to meet specific

requirements^{4,11,13}. It requires knowledge about the thermodynamic properties of the protein solution, concentration of the protein, temperature and characteristics of the solvent (e.g., pH, ionic strength, buffer concentration and identity, and any additives)^{3,14}. The traditional method to study protein solubility, in response to different operating conditions, is to construct a phase diagram, commonly protein concentration against precipitant agent concentration. A phase diagram is divided by the solubility curve into two areas corresponding to undersaturated and supersaturated state of a protein solution. The supersaturated area comprises of the metastable, nucleation and precipitation zones^{3,10,11,13,14}. In the nucleation and precipitation zones the protein is either crystalline or precipitated, whereas in the metastable zone the probability of nucleation occurrence is very low but already existing crystals could grow³. However, complete phase diagrams for prediction of protein crystallization are rarely available and crystallization conditions are usually found by a trial-and-error approach. The few reports published include the work of Hekmat¹² and Smejkal⁵ on the crystallization of lysozyme, the works of Smejkal⁹ and Hebel¹⁵ both on the crystallization of therapeutic antibodies and more recently the study conducted by Huettmann¹¹ on the crystallization of interferon gamma.

While protein crystallization is usually performed under quiescent conditions, protein crystallization as a process step requires a minimum of agitation. Otherwise crystals sink to the bottom, grow into each other and the crystal growth is diffusion limited leading to long process durations and/or low yields^{9,16}. Studies concerning the influence of the type and degree of agitation on protein crystallization can be found in the literature. A reduced nucleation time was observed in an unbaffled stirred vessel¹⁷, in a wave shaker¹⁸ and under oscillatory flow¹⁶. Smejkal *et al.*⁵ observed a significantly faster onset of the crystallization of lysozyme and Fab-fragment of the therapeutic

antibody Canakinumab in stirred vessels when compared to non-agitated systems. Besides, authors verified that further increase of the agitation rate resulted in the decrease of lysozyme crystallization onset. In contrast, a prolonged nucleation time was verified in a rotary shaker¹⁹ and under mechanical vibration²⁰. Vekilov and Rosenberger²¹ suggested that lysozyme growth cessation and deceleration were due to convection-enhanced supply of impurities to the interface. Shear forces were also related to limit the attachment of lysozyme growth units²².

Another key issue concerns the scalability of the process^{1,11}. Protein crystallization on process scale is usually performed in stirred tank crystallizers. Commonly suggested scale-up criteria such as minimum agitation rate to keep the crystals in suspension or impeller tip speed are not always successful and sometimes the scale-up criterion has to be based on experimental data^{9,23}. Moreover, large stirred tanks are usually characterized by low mixing efficiency that give rise to excess local concentrations⁴, and in its turn leads to spontaneous nucleation. Besides, shear stresses exerted by the impellers can lead to protein denaturation and damaged crystals^{4,7}. Another important concern is the fact that often limited amounts of protein are available, making difficult the implementation of experiments on a large scale.

So far, only a few reports have been published on protein crystallization as a process step. The most prominent example is the industrial implementation of the crystallization process of insulin²³. Other examples include studies on the crystallization of lysozyme ^{5,12,15,24–26}, ovalbumin¹⁷, L-methionine γ-lyase²⁷, fungal lipases^{10,28} and urate oxidase²⁹. Studies have also been reported on more complex proteins like monoclonal antibodies^{9,11,30}, more difficult to crystallize due to their large size and structural flexibility¹⁵. More recently, Neugebauer and Kinast⁷ reported the development of a tubular-plug flow crystallizer for the continuous lysozyme crystallization. Although the

studies published show the feasibility of protein crystallization as a means of purification, further work is required in order to establish the latter as an alternative to the existing downstream processing techniques. A limited number of works were performed under well-defined and scalable operating conditions⁷. In addition, some of the reports lack information about protein phase behavior, crystallization kinetics and yield³¹, and flow conditions²⁹. Furthermore, rather long process durations and/or low yields were observed in most cases^{9,16,29–31}.

In order to overcome some of the gaps observed in common crystallizers, a novel meso oscillatory flow reactor (meso- OFR) was developed by members of the present research team³². The device is operated under oscillatory flow mixing that has been proved to result into significant enhancement in processes such as mass transfer and particle mixing^{33,34}, particularly relevant for crystallization processes. Indeed, significant enhancement in crystal characteristics and reduction of operation time have been reported for the crystallization of hydroxyapatite^{35,36}. In addition, the reactor can be easily scaled up by the addition in series of other identical meso-OFR unities. In this context, the present work aims to study, for the first time, the applicability of the meso-OFR on protein crystallization for purification purposes. Lysozyme was used as a protein crystallization model. Like any industrial process it is intended to obtain maximum yield and purification, and to achieve this rapidly. Control of crystal size is as well important. Optimization with respect to all these criteria has to be based on a fundamental understanding of the process, that is, knowledge of the phase diagram and kinetics. For this, different experimental conditions were screened by varying protein and precipitating agent concentration in order to derive a sufficiently quantitative crystallization phase diagram of the protein under study. Induction times were measured by online monitoring of the turbidity of the crystallization solution. The obtained crystals were characterized by optical microscopy and their activity was measured.

Additionally, crystal yield was estimated.

Materials and Methods

Proteins and chemicals

Chicken egg-white lysozyme was purchased from Sigma-Aldrich (Fluka-62971, Germany, lot #BCBJ2814V) and was used without further purification. One stock solution of 0.2 M sodium acetate buffer at pH 4.7 was prepared using sodium acetate trihydrate from Sigma-Aldrich (99,5 %, Germany) and glacial acetic acid from Merck (100 %, Germany) to adjust the pH. Sodium chloride was obtained from Panreac AppliChem (99,5%, Germany). Several lysozyme (5 to 50 mg.mL⁻¹) and sodium chloride (2.5 to 6 %(w/v)) solutions were prepared in the sodium acetate buffer solution, pH of the sodium chloride solution being posteriorly adjusted with a 1 M hydroxide sodium (Pronolab, Portugal) solution. All the solutions were prepared in ultra-pure water (Milli Q water, resistivity of 18.2 MΩ.cm⁻¹ at 25 °C) and filtered through a 0.2 μm cut-off membrane (Sigma-Aldrich, Whatman, Germany). Lysozyme concentrations were measured by UV spectroscopy (ScanSpec UV-VIS, Sarspec, Portugal) at 280 nm using a known extinction coefficient (2.5 L.g⁻¹.cm⁻¹)⁹.

Experimental installation

Lysozyme crystallization trials were carried out in the experimental set-up represented in Figure 1. It involves the meso-OFR placed vertically, a mixing chamber and a measuring cell connected to a spectrophotometer for turbidity measurement. The device consists of a 35 cm long and 3 mm internal diameter glass jacketed tube provided with smooth periodic constrictions (SPC) and has an approximate volume of 4 mL (Figure 1). The crystallization solution was oscillated using a piston moved by a stirring motor (CAT R100C, United States of America). The oscillating device was custom-built. The

reactor is operated under oscillatory flow mixing, controlled by the oscillation frequency (f) and amplitude (x_0) that were fixed at 1.83 Hz and 4 mm, respectively. The value of the amplitude corresponds to the center-to-peak amplitude, and the measurements were performed in the tube without constrictions. Reactants were fed into the set-up by means of a syringe pump (NE-4000, New Era, United States of America). Temperature of the reactants and temperature inside the meso-OFR was regulated by a thermostatic bath (Huber, Ministat 125, Germany) maintained at 20 °C.

Figure 1.

Determination of phase diagram

Batch crystallization experiments with different lysozyme and sodium chloride concentrations were carried out at pH 4.7 and 20 °C. As the conventional microbatch methodology, the solution is undersaturated, saturated or supersaturated at the beginning of each experiment. This allows a more accurate description of phase states with known operating conditions^{3,14}. Experiments were started by the simultaneous injection in the experimental set-up of equal volumes of both lysozyme and sodium chloride solutions. After 24h of incubation, samples were investigated for crystals, precipitates or other structures by optical microscopy (Standard 20, Zeiss, Germany). The supernatant was filtered and diluted with ultra-pure water for lysozyme concentration determination by UV absorbance (λ = 280 nm). This procedure was carried out at least three times for each initial supersaturation ($Si = \frac{c_{lysozyme initial}}{solubility_{lysozyme}}$).

Figure 2.

Induction time

Then, a phase diagram was assembled (Figure 2).

Induction time (t_{ind}) is known as the period between the establishment of supersaturation and the detection of a new phase^{37,38}. Increase of the crystals number in solution can be

detected by measuring the turbidity of the crystallization solution, once the formation of a crystal suspension is expected to decrease light transmission. The induction time can thus be determined by using the change in the transmission of light. In this way, on-line measurement of the turbidity of the crystallization solution was carried out with a spectrometer (ScanSpec UV-VIS, Sarspec, Portugal) at 400 nm in order to monitor the crystallization process:

$$\tau = \frac{2.303}{d} \times A \tag{1}$$

where $\tau = \text{turbidity}$;

d = scattering path length (path length of the measuring cell being 0.4 cm);

A = absorbance.

Absorbance measurements of the crystallization solution allowed to build the turbidity profile curves, using Equation (1), for each experimental condition studied. Figure 3 shows a typical turbidity profile curve. During the induction time that precedes the formation of stable nuclei, turbidity is almost constant, while nucleation and growth of lysozyme crystals resulted in an abrupt increase in the turbidity. In this way, induction times were derived by the intersect values, on the axis time, of the tangent to the first rapid increase in the turbidity profile curve as illustrated in Figure 3:

Figure 3.

Lysozyme activity

Enzymatic activity of the lysozyme crystals obtained was determined by spectrophotometry and compared to the enzymatic activity of the initial lysozyme solution. The rate of lysis of *Micrococcus lysodeikticus* was determined, one unit being equal to a decrease in turbidity of 0.001 per minute at 450 nm at pH 6.25 and 25°C.

Results and Discussion

Lysozyme phase behavior

Batch crystallization experiments carried out in the meso-OFR enabled to derive lysozyme phase behavior under oscillatory flow mixing at 20 °C and pH 4.7 (Figure 4). The solubility^{39,40} and the metastability⁴¹ curves were drawn based on the data available in the literature at quiescent conditions. Clear solutions above the solubility curve were indicative of the metastable region, once in spite of being supersaturated these solutions were not able to produce crystals. As expected, increasing concentrations of both lysozyme and sodium chloride above the metastability curve led to crystallization and further increase to simultaneous crystallization and precipitation. Several types of crystals were observed, from tetragonal, orthorhombic and needle-shaped crystals to microcrystals and precipitate, depending on both reactants concentration but mostly on salt concentration (Figure 5). For sodium chloride concentrations below and equal to 3% (w/v), essentially tetragonal crystals were observed. One can also verify that crystals with different sizes (about 5 to 15 μm) and aggregated crystals were obtained. For sodium chloride concentration of 4% (w/v) and lysozyme concentration between 15 and 25 mg.mL⁻¹, samples were constituted by well-defined tetragonal and orthorhombic crystals with typical size around 10 µm and needle-shaped crystals. Images also demonstrate the generation of aggregated microcrystals (with typical size about 3 µm) for higher lysozyme concentration. For high concentrations of sodium chloride (≥ 5% (w/v)) and low concentration of lysozyme (10 to 15 mg.mL⁻¹) mainly needles with regular structure and shape were formed, while increasing lysozyme concentration led to precipitation.

Figure 4.

Figure 5.

As known, crystallization of a protein involves reduction of the solubility of the protein, namely by the addition of precipitant agents³. In the case of sodium chloride, the solvation layer around protein molecules is reduced, giving thus rise to solubility

decrease. In this way, a direct relationship was verified between salt concentration and the appearance of lysozyme crystals. Results obtained also demonstrated a strong influence of salt concentration on the shape of lysozyme crystals. Under quiescent conditions, experimental conditions studied should only lead to the formation of tetragonal lysozyme crystals³⁹⁻⁴¹. However, for concentrations of sodium chloride equal and superior to 4% (w/v) samples contain needle-shaped crystals. Bhamidi *et al.*⁴² suggested that needles were an unstable polymorph of lysozyme that slowly would convert to the tetragonal form. However, observations done on the collect suspensions kept during several months did not prove this hypothesis for all the cases.

In the present work lysozyme crystals are subjected to fluid shear forces induced by oscillatory flow mixing and solid-liquid interfaces. Lysozyme crystals collide with parts of the glass walls of the meso-OFR and with each other. In this way, crystalline fragments could be created by attrition leading to secondary nucleation that gives rise to excess nucleation and suppresses growth, and in its turn lead to small size crystals⁴³. Indeed, protein crystals are generally more fragile than crystals of inorganic and small organic molecules because of their high solvent content⁴⁴, so that they are highly likely to fracture during collision with each other or the crystallization equipment. Experimental results suggest the occurrence of a strong nucleation, since most of the experimental conditions studied led to the formation of a high number of small crystals and crystals with different sizes (Figure 5).

As shown on Figure 5, some aggregation could be observed. In what concerns protein crystals aggregation, literature reports many factors that can induce particle aggregation. Kusters *et al.*⁴⁵ suggested that aggregation for lysozyme crystals with a diameter approximately in the range 1-100 µm is mainly induced by shear forces according to its Kolmogorov microscale. Other studies⁴⁶ demonstrated that shear alone do not cause

aggregation although prolonged exposure resulted in some minor, reversible aggregation. In the present work, besides the fact that the lysozyme crystals have an average size in the order of $10 \mu m$ (see Table 2), they are also subjected to shear stress, which may explain their aggregation.

Lysozyme activity

Regarding the activity of the crystals collected, the results revealed that the protein collected is still active, since most of the samples exhibited at least 80% of activity when compared to the initial lysozyme solution.

It is commonly believed that denaturation is a prerequisite for aggregation, once small perturbations in protein structure may expose hydrophobic surfaces, causing self-interactions and consequential aggregation⁴⁶. According to the literature⁴⁷, long exposure time at solid-liquid interfaces⁴⁸ and a moving gas-liquid interface^{46,49–52} can cause damage to proteins. It has also been reported that this phenomenon is mainly due to the hydrophobic character of such interfaces⁴⁶. In the meso-OFR, lysozyme crystals are subjected to fluid shear forces and solid-liquid interfaces. Furthermore, they are exposed to air-liquid interfaces, although there have been attempts to minimize them, once reactants were carefully injected in the system to avoid bubbles and the reactor was almost completely full. Given the little loss of activity, the aggregation observed may be mainly explained by exposure to shear stress as already suggested above.

Metastability curve determination

Based on lysozyme phase behavior (Figure 4), it was possible to determine the metastability curve based on the minimum sodium chloride concentration needed for nucleation at different lysozyme concentrations. Given the uncertainty associated to the experimental results and the stochastic nature of nucleation, a potential range for the metastability curve was represented (error bars). These results, as well as the solubility

and metastability curves reported in the literature for microbatch experiments^{39,40} were linearized (see Figure 6) according to Martins *et al.*⁴⁰ equation:

$$C_{lysozyme} = A \exp(\frac{B}{C_{NaCl}}) \tag{2}$$

where $C_{lysozyme}$ is the lysozyme concentration in mg.mL⁻¹ and C_{NaCl} is the concentration of sodium chloride in percentage units (w/v). The values of the constants A and B that best fit the experimental results are given in Table 1.

Figure 6.

Table 1. Values of A and B constants from the linearization of both experimental metastability and theoretical solubility and metastability curves of lysozyme at 20 °C and pH 4.7.

Linearized curve	A	В	r ²
Solubility ^{39,40}	0.354	8.45	0.973
Metastability ⁴¹	3.744	6.19	0.983
Metastability – meso-OFR	1.887	7.52	0.970

According to Figure 6 and Table 1, metastability data can be described by the exponential relationship proposed by Martins $et\ al\ ^{40}$, used for the description of lysozyme solubility curve with sodium chloride as the precipitant agent.

Reduction of the metastability zone

From the experimental and literature results (Figures 4 and 6), it was possible to illustrate the undersaturation, metastable, crystallization and precipitation zone (Figure 7), hence giving information about the relevant range of precipitant and protein concentration for lysozyme crystallization in the meso-OFR at 20 °C and pH 4.7.

Figure 7.

Graphical representation of the experimental metastability curve and both theoretical solubility and metastability curves clearly illustrates the reduction of the metastability zone when performing lysozyme crystallization under oscillatory flow mixing (Figure 7). For instance, for a lysozyme concentration of 15 mg.mL $^{-1}$, crystals were observed at $S_i = 5.4$ with oscillatory flow mixing, while under quiescent conditions appearance of crystals is only expected for S_i values superior or equal to 6.3 (metastability data).

Under agitation, collision between protein molecules is increased, increasing thus nucleation probability. As a result, metastability region is reduced leading to the occurrence of nucleation at lower supersaturation levels. Hence, crystallization conditions that normally do not produce crystals may become successful using oscillatory flow mixing. This could be particularly interesting for proteins with a limited range of crystallization conditions, since the probability of crystals appearance can be increased under oscillatory flow mixing.

Induction time

Measured induction time was plotted as a function of the initial supersaturation, S_i , for the experimental conditions studied (Figure 8).

Figure 8.

Nucleation is time-critical during protein crystallization processes as it determines the onset of crystallization. Further, nucleation controls crystal product quality aspects such as the kind of solid state and crystal size distribution³⁷. In this study, crystallization onset was evaluated through induction time measurements. According to Figure 8, typical values for induction time are between 41 to 900 minutes depending on the initial supersaturation S_i . It further refers that tetragonal crystals were essentially obtained at low S_i , i.e. at large induction times, while needles and precipitates were preferentially formed at high S_i , i.e. at low induction times. One can also verify that for sodium chloride concentrations of 4 and 5% (w/v), induction time decreases as S_i increases, while no direct relationship between S_i and induction time was evidenced for a sodium chloride concentration of 3% (w/v). It is important to mention that the value of the induction time depends strongly on the methodology employed to detect the formation of new nuclei. In this study, measurement of the induction time is based on the detection of an abrupt increase in the turbidity of the crystallization solution, thereby a

considerable number of crystals have to be formed to detect a significant increase in the turbidity of the solution. For the highest sodium chloride concentrations, experiments were characterized by a strong nucleation giving rise to a high number of crystals in solution, and in turn an important increase in the turbidity of the solution. In contrast, lower sodium chloride concentration experiments did not lead to a noteworthy change in the turbidity of the solution, in particular when only tetragonal crystals were observed. For those cases, crystallization solutions kept relatively clear throughout the experiment despite the presence of crystals in solution. This partly explains the large variation in the induction time values (error bars - standard deviations from at least three independent experiments), which can also be explained by the stochastic nature of nucleation and the low probability that nuclei form at low supersaturations. From Figure 8, one can verify that for the same sodium chloride concentrations (4% (w/v)) and lower S_i , induction times are shorter than the values reported in the literature⁵. Indeed, Smejkal et al.⁵ related crystallization onsets from 350 to 570 minutes (stirrer speeds from 400 to 200 rpm, respectively) in a 6 mL-scale stirred tank for $S_i = 9.7$, while we observed values of 80 and 338 minutes for S_i of 8.9 and 7.1, respectively. As already mentioned, the efficient oscillatory mixing mechanism developed in the meso-OFR leads to enhanced mass transfer, minimizing thus diffusion limitations that were reported to be the main bottleneck in the lysozyme crystallization process in non-agitated systems⁵.

Summary of experimental conditions

Table 2 summarizes the experimental crystallization conditions studied as well as the respective crystals characteristics.

Table 2. Experimental conditions for lysozyme crystallization as a process step in the meso-OFR at 20 °C and pH 4.7 and under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm.

[NaCl] % (w/v)	[Lysozyme] (mg.mL ⁻¹)	S _i	Typical crystal size (µm)	Crystal shape	Crystal yield (%)	Relative activity (%)	Inductio n time (min)
2.5	50	33.3	10 ± 4.6	Tetragonal	-	-	-
3	25	3,4	9.3 ± 4.0	Tetragonal	47.5 ± 11.9	>85	528 ± 239
	30	4,1	9.8 ± 3.9		43.6 ± 21.5		465 ± 15
	35	4,8	8.4 ± 3.4		36.2 ± 22.7		735 ± 135
	40	5,5	7.6 ± 4.1		76.0 ± 12.5		552 ± 19
4	15	5,4	6.5 ± 2.9; 10-50*	Tetragonal,	20,6	>80	772 ± 106
	20	7,1	$13\pm 8.8;\approx 20*$	orthorhombic and	$40,1\pm12.9$		338 ± 60
	25	8,9	$10\pm5.1;\approx30*$	needle	edle 50.5 ± 14.6		80
	30	10,7	3.4 ± 2.3	Microcrystals	$52,1\pm47.5$		41 ± 1
5	10	5,5	10 - 15	Needle	$36,3 \pm 4.1$	>85	917 ± 34
	15	8,3	≈ 15		$8,2\pm4.2$		566
	20	11,0	-	Precipitate	$13,9 \pm 4.1$		114 ± 6
6	10	6.7	20 - 50	Needle	-	-	-

^{*}these values correspond to the typical value of the length of the needles, their width being in the order of 1 to 2 µm

According to Table 2, criteria for protein crystallization as a process step were fulfilled 1, since well-defined lysozyme crystals with a typical size around 10 µm were formed for low reagents concentrations. In addition, lysozyme crystals maintained their activity at the end of the process, since for most of the experimental conditions tested collected crystals exhibited at least 80% of activity. Further, crystallization process was relatively fast, since for certain operating conditions it was possible to detect the appearance of crystals after a few minutes. Regarding crystal yield, it was estimated using the following equation:

$$yield (\%) = \frac{C_{lysozyme initial} - C_{lysozyme final}}{C_{lysozyme initial}} * 100$$
 (3)

where $C_{lysozyme\ initial}$ and $C_{lysozyme\ final}$ are the initial and final lysozyme concentration estimated through UV absorbance (λ = 280 nm), respectively. In general the amount of crystals formed is low and further optimization is required, since yields of about 70% have been reported in the literature⁵. For certain experimental conditions, it was not possible to evaluate precisely the size of the crystals, namely when needles and

precipitates were formed. Overlapping of the needles and small size and amorphous nature of precipitates prevented a proper assessment of their size.

Conclusion

The present work reports for the first time the study of lysozyme phase behavior in a novel meso oscillatory flow reactor (meso-OFR). For this, various experimental conditions were screened by varying lysozyme and sodium chloride concentration at pH 4.7 and T = 20 °C and under fixed agitations conditions (f = 1.83 Hz and $x_0 = 4$ mm). The results obtained enabled the elaboration of a two-dimensional (lysozyme concentration against sodium chloride concentration) phase diagram of lysozyme. It was possible to observe several types of crystals, from tetragonal, orthorhombic and needleshaped crystals, to microcrystals and precipitates. Results further suggest a strong influence of salt concentration on the shape of lysozyme crystals. Furthermore, lysozyme crystals formed remain active at the end of the experiments. It was also shown that oscillatory flow mixing promotes nucleation at low supersaturation, since results evidenced the reduction of the metastable zone and low induction times.

This study may thus provide improved understanding of protein phase behavior under agitation, in particular under oscillatory flow mixing. Although further optimization is still required, especially regarding yield and control of crystals' characteristics (size and morphology), results are very promising regarding the applicability of the designed meso-OFR for protein crystallization as a process scale. Indeed, oscillatory flow mixing can induce nucleation in conditions where nucleation normally (quiescent conditions) does not occur, which can be particularly interesting from an industrial point of view.

Acknowledgements

This work was financially supported by the European Regional Development Fund (FEDER) through COMPETE 2020 - Operational Programme Competitiveness and Internationalization (POCI) (UID/EQU/00511/2013-LEPABE - Laboratory for Process Engineering, Environment, Biotechnology and Energy – EQU/00511; POCI-01-0145-FEDER-006684) and by national funds through FCT –Portuguese Foundation for Science and Technology - under the projects: UID/BIO/04469/2013; IF exploratory project [IF/01087/2014]; Postdoctoral Fellowship [SFRH/BPD/96132/2013]. A. Ferreira is an Investigator FCT (IF/01087/2014).

Figure Captions

Figure 1. Schematic representation of the experimental set-up for lysozyme crystallization experiments with: OFR-SPC – oscillatory flow reactor provided with periodic constrictions; D - internal tube diameter; d_o - internal diameter in the constrictions; L_1 - convergent-divergent section length; L_2 - straight section length; R_c - radius of the curvature of the sidewall of the convergent section and R_d - radius of the curvature of the sidewall of the divergent section.

Figure 2. Schematic representation of the procedure employed for the generation of lysozyme phase diagram in the meso-OFR at 20 °C and pH 4.7 and under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm.

Figure 3. Typical turbidity profile obtained during crystallization experiments (lysozyme 30 mg.mL⁻¹, NaCl 4% (w/v), pH 4.7 and T = 20 °C and under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm).

Figure 4. Lysozyme phase behavior in the meso-OFR at pH 4.7 and 20 °C under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm.

Figure 5. Lysozyme crystals obtained in the meso-OFR at pH 4.7 and 20 °C under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm. Lysozyme concentrations used are mentioned in each picture.

Figure 6. Linearized metastability and solubility curves at 20 °C and pH 4.7 and under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm. Solubility and metastability curves were obtained by curve fitting from data reported in the literature^{39–41}.

Figure 7. Lysozyme phase diagram in the meso-OFR at pH 4.7 and 20 °C under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm.

Figure 8. Induction time as a function of the initial supersaturation S_i for different sodium chloride concentrations: 3% (w/v), 4% (w/v) and 5% (w/v). The error bars are standard deviations from at least three independent experiments. Smejkal *et al.* (2013) data was obtained in a stirred tank reactor of 6 mL for different stirrer speeds from 200 to 400 rpm with sodium chloride concentration of 4% (w/v) and lysozyme concentration of 50 mg.mL⁻¹.

Table Captions

Table 1. Values of A and B constants from the linearization of both experimental metastability and theoretical solubility and metastability curves of lysozyme at 20 °C and pH 4.7.

Table 2. Experimental conditions for lysozyme crystallization as a process step in the meso-OFR at 20 °C and pH 4.7 and under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm.

References

- (1) Etzel, M. R. In *Process Scale Bioseparations for the Biopharmaceutical Industry*; Taylor & Francis Group, LLC, 2007; pp 159–178.
- (2) Lee, E. K.; Kim, W. Protein Crystallization for Large-Scale Bioseparation; Marcel Dekker, 2003.
- (3) McPherson, A.; Gavira, J. a. Acta Crystallogr. Sect. F, Struct. Biol. Commun. **2014**, F 70, 2–20.
- (4) Schmidt, S.; Havekost, D.; Kaiser, K.; Kauling, J.; Henzler, H.-J. Eng. Life Sci.2005, 5 (3), 273–276.
- (5) Smejkal, B.; Helk, B.; Rondeau, J.-M.; Anton, S.; Wilke, A.; Scheyerer, P.; Fries,J.; Hekmat, D.; Weuster-Botz, D. *Biotechnol. Bioeng.* 2013, 110 (7), 1956–1963.
- (6) Thommes, J.; Etzel, M. *Biotechnol. Prog.* **2007**, *23*, 42–45.
- (7) Neugebauer, P.; Khinast, J. G. *Cryst. Growth Des.* **2015**, *15*, 1089–1095.
- (8) Shenoy, B.; Wang, Y.; Shan, W.; Margolin, A. L. *Biotechnol. Bioeng.* **2001**, *73*, 358–369.
- (9) Smejkal, B.; Agrawal, N. J.; Helk, B.; Schulz, H.; Giffard, M.; Mechelke, M.; Ortner, F.; Heckmeier, P.; Trout, B. L.; Hekmat, D. *Biotechnol. Bioeng.* **2013**, 110 (9), 2452–2461.
- (10) Jacobsen, C.; Garside, J.; Hoare, M. *Biotechnol. Bioeng.* **1998**, *57*, 667–675.
- (11) Huettmann, H.; Zich, S.; Berkemeyer, M.; Buchinger, W.; Jungbauer, A. *Chem. Eng. Sci.* **2015**, *126*, 341–348.
- (12) Hekmat, D.; Hebel, D.; Schmid, H.; Weuster-Botz, D. *Process Biochem.* 2007, 42 (12), 1649–1654.
- (13) Anderson, M. J.; Hansen, C. L.; Quake, S. R. PNAS **2006**, 103 (45), 16746–16751.


- (14) Asherie, N. Methods **2004**, 34 (3), 266–272.
- (15) Hebel, D.; Huber, S.; Stanislawski, B.; Hekmat, D. *J. Biotechnol.* **2013**, *166* (4), 206–211.
- (16) Parambil, J. V.; Schaepertoens, M.; Williams, D. R.; Heng, J. Y. Y. Cryst. Growth Des. 2011, 11 (10), 4353–4359.
- (17) Russell A. Judge, Michael R. Johns, E. T. W. *Biotechnol. Bioeng.* **1995**, *48* (4), 316–323.
- (18) Yaoi, M.; Adachi, H.; Takano, K.; Matsumura, H.; Inoue, T.; Mori, Y.; Sasaki, T. *Jpn. J. Appl. Phys.* **2004**, *43* (10A), 1318.
- (19) Murai, R.; Yoshikawa, H. Y.; Kawahara, H.; Maki, S.; Sugiyama, S.; Kitatani, T.; Adachi, H.; Takano, K.; Matsumura, H.; Murakami, S.; Inoue, T.; Sasaki, T.; Mori, Y. J. Cryst. Growth 2008, 310 (7-9), 2168–2172.
- (20) Lu, Q.-Q.; Yin, D. C.; Liu, Y. M.; Wang, X. K.; Yang, P. F.; Liu, Z. T.; Shang, P. J. Appl. Crystallogr. 2010, 43, 473–482.
- (21) Vekilov, P. G.; Rosenberger, F. J. Cryst. Growth 1998, 186 (1-2), 251–261.
- (22) Marc Pusey; Witherow, W.; Naumann, R. J. Cryst. Growth 1988, 90 (1-3), 105–111.
- (23) Harrison, R.; Todd, P.; Rudge, S.; Petrides, D. *Bioseparation Science and Engineering*; Press, O. U., Ed.; New York, 2015.
- (24) Carbone, M. N.; Etzel, M. R. *Biotechnol. Bioeng.* **2006**, 93 (6), 1221–1224.
- (25) Lorber, B.; Skouria, M.; Munch, J.-P.; Giegé, R. J. Cryst. Growth 1993, 128 (1-4), 1203–1211.
- (26) Judge, R. a.; Forsythe, E. L.; Pusey, M. L. *Biotechnology and Bioengineering*. 1998, pp 776–785.
- (27) Takakura, T.; Ito, T.; Yagi, S.; Notsu, Y.; Itakura, T.; Nakamura, T.; Inagaki, K.;

- Esaki, N.; Hoffman, R. M.; Takimoto, A. Appl. Microbiol. Biotechnol. 2006, 70 (2), 183–192.
- (28) Lee, T.; Vaghjiani, J.; Lye, G.; Turner, M. Enzyme Microb. Technol. 2000, 26(8), 582–592.
- (29) Giffard, M.; Ferté, N.; Ragot, F.; El Hajji, M.; Castro, B.; Bonneté, F. *PLoS One***2011**, 6 (5), e19013.
- (30) Zang, Y.; Kammerer, B.; Eisenkolb, M.; Lohr, K.; Kiefer, H. *PLoS One* 2011, 6(9), e25282.
- (31) Trilisky, E.; Gillespie, R.; Osslund, T. D.; Vunnum, S. *Biotechnology Progress*. 2011, pp 1054–1067.
- (32) Ferreira, A; Rocha, F.; Teixeira, J.A.; Vicente, A. Apparatus for mixing improvement based on oscillatory flow reactors provided with smooth periodic constrictions. WO/2015/056156, 2014.
- (33) Harvey, A.; Mackley, M. R.; Reis, N.; Teixeira, J. A.; Vicente, A. A. In 30th Conference SSCHE, Tatranské Matliare (SK), 26 30 May; 2003; pp 26–30.
- (34) Ferreira, A.; Teixeira, J. A.; Rocha, F. Chem. Eng. J. 2015, 262, 499–508.
- (35) Castro, F.; Ferreira, A.; Rocha, F.; Vicente, A.; Teixeira, J. A. AIChE J. 2013, 59(12), 4483–4493.
- (36) Castro, F.; Ferreira, A.; Rocha, F.; Vicente, A.; Anto, J. Ind. Eng. Chem. Res.2013, 52, 9816–9821.
- (37) Jiang, S.; Ter Horst, J. H. Cryst. Growth Des. **2011**, 11, 256–261.
- (38) Di Profio, G. Di; Curcio, E.; Cassetta, A.; Lamba, D.; Drioli, E. *J. Cryst. Growth* **2003**, 257, 359–369.
- (39) Forsythe, E. L.; Judge, R. a.; Pusey, M. L. *J. Chem. Eng. Data* **1999**, *44* (3), 637–640.

- (40) Martins, P. M.; Rocha, F.; Damas, A. M. *PLoS One* **2008**, *3* (4), e1998.
- (41) Crespo, R.; Martins, P. M.; Gales, L.; Rocha, F.; Damas, A. M. *J. Appl. Crystallogr.* **2010**, *43* (6), 1419–1425.
- (42) Bhamidi, V.; Skrzypczak-Jankun, E.; Schall, C. a. *Journal of Crystal Growth*. 2001, pp 77–85.
- (43) Tait, S.; White, E. T.; Litster, J. D. Cryst. Growth Des. **2009**, 9 (5), 2198–2206.
- (44) McPherson, A. Crystallization of Biological Macromolecules. Cold Spring. Harbor, Ed. New York, 1999.
- (45) Kusters, K. A.; Wijers, J. G.; Thoenes, D. Chem. Eng. Sci. 1997, 52 (1), 107–121.
- (46) Thomas, C. R.; Geer, D. Biotechnol. Lett. 2010, 33 (3), 443–456.
- (47) Bee, J. S.; Stevenson, J. L.; Mehta, B.; Svitel, J.; Pollastrini, J.; Platz, R.; Freund, E.; Carpenter, J. F.; Randolph, T. W. *Biotechnol. Bioeng.* **2009**, *103* (5), 936–943.
- (48) Sandwick, R. K.; Schray, K. J. J. Colloid Interface Sci. 1987, 115 (1), 130–138.
- (49) Caussette, M.; Gaunand, A.; Planche, H.; Colombié, S.; Monsan, P.; Lindet, B. Enzyme Microb. Technol. 1999, 24 (7), 412–418.
- (50) Caussette, M.; Gaunand, A.; Planche, H.; Monsan, P.; Lindet, B. *Ann. New York Acad. Sci.* **1997**, *864*, 228–233.
- (51) Colombié, S.; Gaunand, A.; Lindet, B. Enzyme Microb. Technol. 2001, 28 (9-10), 820–826.
- (52) Postel, C.; Abillon, O.; Desbat, B. J. Colloid Interface Sci. 2003, 266 (1), 74–81.

For Table of Contents Use only:

Table of Contents Graphic:



Synopsis

The applicability of a novel meso oscillatory flow reactor for protein crystallization as a process step was evaluated. A lysozyme phase diagram was derived and induction times were measured. Reduction of the metastability zone and fast crystallization onsets were verified, which may be particularly relevant for proteins with a limited range of crystallization conditions and for industrial processes.




Figure 1. Schematic representation of the experimental set-up for lysozyme crystallization experiments with D - internal tube diameter; d_0 - internal diameter in the constrictions; L_1 - convergent-divergent section length; L_2 - straight section length; R_c - radius of the curvature of the sidewall of the convergent section and R_d - radius of the curvature of the sidewall of the divergent section. $65x124mm~(300\times300~DPI)$




Figure 2. Schematic representation of the procedure employed for the generation of lysozyme phase diagram in the meso-OFR at 20 °C and pH 4.7 and under agitation conditions of f = 1.83 Hz and $x_0 = 4$ mm. 121x55mm (300 x 300 DPI)




Figure 3. Typical turbidity profile obtained during crystallization experiments (lysozyme 30 mg.ml $^{-1}$, NaCl 4% (w/v), pH 4.7 and T = 20 °C and under agitation conditions of f = 1.83 Hz and x_0 = 4 mm). 43x38mm (300 x 300 DPI)




Figure 4. Lysozyme phase behavior in the meso-OFR at pH 4.7 and 20 $^{\circ}$ C under agitation conditions of f = 1.83 Hz and x_0 = 4 mm. 39x25mm (300 x 300 DPI)




Figure 5. Lysozyme crystals obtained in the meso-OFR at pH 4.7 and 20 $^{\circ}$ C under agitation conditions of f = 1.83 Hz and x_0 = 4 mm. Lysozyme concentrations used are mentioned in each picture. 139x89mm (300 x 300 DPI)




Figure 6. Linearized metastability and solubility curves at 20 $^{\circ}$ C and pH 4.7 and under agitation conditions of f = 1.83 Hz and x_0 = 4 mm. Solubility and metastability curves were obtained by curve fitting from data reported in the literature³⁹⁻⁴¹. 126x82mm (300 x 300 DPI)




Figure 7. Lysozyme phase diagram in the meso-OFR at pH 4.7 and 20 $^{\circ}$ C under agitation conditions of f = 1.83 Hz and x_0 = 4 mm. 129x84mm (300 x 300 DPI)




Figure 8. Induction time as a function of the initial supersaturation Si for different sodium chloride concentrations: 3% (w/v), 4% (w/v) and 5% (w/v). The error bars are standard deviations from at least three independent experiments. Smejkal et al. (2013) data was obtained in a stirred tank reactor of 6 mL for different stirrer speeds from 200 to 400 rpm with sodium chloride concentration of 4% (w/v) and lysozyme concentration of 50 mg.mL $^{-1}$. 129x84mm (300×300 DPI)




Table of contents 102x44mm (300 x 300 DPI)