



Bonded by Carbon

Carbon2018

The World Conference on Carbon

Madrid, SPAIN, July 1st-6th

Book of Abstracts



www.carbon2018.org





Bonded by Carbon Carbon 2018 Keynotes Index

Code	Title
0062	HIGHLY SELECTIVE ADSORPTIVITIES OF POROUS CARBONS FOR WATER AND OXYGEN ISOTOPES ONO, YYJI - KUMAR, SANJEEV - FUTAMURA, RYUSUKE - VALLEJOS-BURGOS, FERNANDO - SAGISAKA, KENTO - HATTORI, YOSHIYUKI - GOGOTSI, YURY - KANEKO, KATSUMI
0071	A MOLECULAR DYNAMICS STUDY ON THE TRIBOLOGICAL PROPERTIES OF DIAMOND-LIKE CARBON IN HYDROGEN GAS ENVIRONMENT WANG, YANG - XU, JINGXIANG - OOTANI, YUSUKE - HIGUCHI, YUJI - OZAWA, NOBUKI - KUBO, MOMOJI
0078	ELECTROCHEMICAL BEHAVIORS OF LITHIUM INTERCALATION/DE-INTERCALATION INTO/OUT-OF BORON/CARBON MATERIALS AS ANODES OF LIBS KAWAGUCHI, MASAYUKI - SUGISAKI, SEIYA - KOUGE, YUKAKO - GOTOH, KAZUMA
0087	ELECTROCHEMICAL PERFORMANCE OF N-DOPED SUPERPOROUS ACTIVATED CARBONS IN NON-CONVENTIONAL ELECTROLYTES MOSTAZO-LÓPEZ, MARÍA JOSÉ - KRUMMACHER, JAKOB - BALDUCCI, ANDREA - MORALLÓN, EMILIA - CAZORLA-AMORÓS, DIEGO
0089	JUST ADD WATER AND TABLE SALT: NEW PERSPECTIVES ON THE ELECTROCHENMICAL EXFOLIATION OF HIGH QUALITY GRAPHENE MUNUERA, JOSE MARÍA - PAREDES, JUAN IGNACIO - ENTERRÍA, MARINA - PAGÁN, ANA - VILLAR-RODIL, SILVIA - PEREIRA, MANUEL FERNANDO RIBEIRO - FIGUEIREDO, JOSÉ LUIS - CENIS, JOSÉ LUIS - MARTÍNEZ-ALONSO, AMELIA - TASCÓN, JUAN MANUEL DIEZ
0111	FLOW PATTERN ANALYSIS OF THE HORIZONTAL TUBE FURNACE FOR THE CNT FIBER SYNTHESIS LEE, TAESEON - UM, TAEWOONG - LEE, SUNG-HYUN - KANG, IN SEOK - LEE, KUN-HONG
0113	ELUCIDATION OF RELATIONSHIPS BETWEEN CARBON STRUCTURE AND ANION INTERCALATION IN DUAL-ION BATTERIES ANDREAS, HECKMANN - OLGA, FROMM - UTA, RODEHORST - MARTIN, WINTER - TOBIAS, PLACKE
0114	DEVELOPMENT OF NOVEL PAN-BASED ACTIVATED CARBON FIBERS YOSHIKAWA, MASAAKI - HAYASHI, JUNICHI
0118	3D PRINTED GUIDELINES FROM NANOFIBRILLATED CELLULOSE/CARBON NANOTUBES INKS FOR APPLICATION IN NEURAL TISSUE ENGINEERING KUZMENKO, VOLODYMYR - KARABULUT, ERDEM - PERNEVIK, ELIN - ENOKSSON, PETER - GATENHOLM, PAUL
0129	COMBINATION OF TRANSITION METAL WITH NANOCARBON MATERIALS: PROMISTING CATALYSTS FOR LIQUID PHASE ORGANIC REACTIONS ZHAO, QINGSHAN - WU, MINGBO - LI, XINXIN
0138	CARBIDE-DERIVED CARBON BEADS WITH TUNABLE NANOPORES FROM CONTINUOUSLY PRODUCED POLYSILSESQUIOXANES FOR ENERGY STORAGE DEVICES KRÜNER, BENJAMIN - ODENWALD, CHRISTINA - KICKELBICK, GUIDO - PRESSER, VOLKER
0140	PETROLEUM COKE-BASED CARBON NANOMATERIALS FOR ELECTROCATALYSIS WU, MINGBO
0163	NUMERICAL EVALUATION OF THE MIXED-MODE INTERFACIAL FRACTURE OF C/C COMPOSITES BY USING A ZERO-THICKNESS COHESIVE APPROACH QI, LEHUA - CHAO, XUJIANG - LI, HEJUN
0190	NANOPOROUS CARBONS FOR SOLAR FUELS PRODUCTION MATOS, JUAN - OCARES-RIQUELME, JOSE - POON, PO S GARCÍA, XIMENA - TITIRICI, MARÍA M - ANIA, CONCHI O.
0197	EMPHASIZING THE ROLE OF CARBON PORES IN ELECTROCATALYSIS BANDOSZ, TERESA J
0215	THE STUDY TOWARD TO THE REALIZATION OF SUSTAINABLE CFRTP HAVING BOTH HIGH MECHANICAL PROPERTIES AND RECYCLABILITY IRISAWA, TOSHIHIRA - HASHIMOTO, RYO - NAGAO, NAOAKI - TANABE, YASUHIRO - ARAI, MASAHIRO
0257	MECHANISM OF THE OXYGEN REDUCTION REACTION (ORR) ON GRAPHENE-BASED MATERIALS: FURTHER INSIGHTS FROM QUANTUM CHEMISTRY RADOVIC, LIUBISA R
0290	CARBON MATERIALS AS CATALYST SUPPORTS AND CO-CATALYSTS FOR BIOMASS UPGRADING PROCESSES GARCÉS, DIEGO - FABA, LAURA - DIAZ, EVA - ORDÓÑEZ, SALVADOR
0293	HIGH-VOLTAGE DURABILITY AND DEGRADATION MECHANISM OF SEAMLESS ACTIVATED-CARBON ELECTRODE FOR ELECTROCHEMICAL CAPACITORS SHIRAISHI, SOSHI - TAGAYA, TOMOMI - OYAMA, RYOHEI - HATAHEYAMA, YOSHIKIYO - TSUKADA, HIDEHIKO
0315	NANOGRAPHENES BY SOLVENT-FREE SYNTHESES - THE MECHANOCHEMICAL SCHOLL REACTION GRÄTZ, SVEN - BEYER, DOREEN - TKACHOVA, VALERIYA - HELLMANN, SARAH - BERGER, REINHARD - FENG, XINLIANG - BORCHARDT, LARS

Code	Title
0325	CO2 CAPTURE BY CHEMICAL LOOPING PROCESSES USING C-FUELS GARCÍA LABIANO, FRANCISCO - IZQUIERDO, MARIA TERESA - DE DIEGO, LUIS F GAYÁN, PILAR - ABAD, ALBERTO - MENDIARA, TERESA - ADÁNEZ, JUAN
0345	EELS MEASUREMENT OF GRAPHITIZED ULTRATHIN CARBON FILMS YOSHIZAWA, NORIKO - SONEDA, YASUSHI - KODAMA, MASAYA
0364	FROM NANO- TO MACRO-SCALE: HYBRID MAGNETIC CARBON NANOCOMPOSITES AS A TOOL FOR CATALYTIC WET PEROXIDE OXIDATION RIBEIRO, RUI S SILVA, ADRIÁN M.T FARIA, JOAQUIM L GOMES, HELDER T.
0365	CHARGE-DISCHARGE PROPERTIES OF SNO2-EMBEDDED NANOPOROUS CARBONS IN ALL-SOLID-STATE LITHIUM ION BATTERY SYSTEM NOTOHARA, HIROO - URITA, KOKI - MORIGUCHI, ISAMU
0375	TIO2-CARBON HYBRID PHOTOCATALYSTS FOR THE ELIMINATION OF POLLUTANTS IN LIQUID PHASE AMORÓS-PÉREZ, ANA - CANO-CASANOVA, LAURA - OUZZINE, MOHAMMED - LILLO-RÓDENAS, MARÍA ÁNGELES - ROMÁN- MARTÍNEZ, MARÍA CARMEN - KELLER, NICOLAS
0377	CARBON-COUPLED PLASMONIC SENSORS: FROM QUANTUM COUPLING TO SUBWAVELENGTH RESONANT STRAIN SENSORS ARAMESH, MORTEZA - TIEFENAUER, RAPHAEL - VÔRÔS, JANOS
0387	CARBON NANOMATERIALS AS STRUCTURAL DIRECTORS FOR THE PREPARATION OF INTERCONNECTED POROUS CARBON NETWORKS ania. conchi - GOMIS-BERENGUER, ALICIA - CALZADA, M DOLORES - casanova, ana
0409	MATERIAL AND PROCESSING VARIABLES AFFECTING THE PROPERTIES OF CARBON BONDED CARBON FIBER INSULATION GALLEGO, NIDIA - ROMANOSKI, GLENN - LACH, KYLE - CONTESCU, CRISTIAN - ADHIKARI, SHIBA - CLARK, ASHLI - ULRICH, GEORGE
0431	ROSIN-MEDIATED ULTRACLEAN TRANSFER OF GRAPHENE AND RELATED TWO-DIMENSIONAL MATERIALS DU., JINHONG - ZHANG, DINGDONG - REN, WENCAI - CHENG, HUI-MING
0451	MODELING CELLULOSE CONVERSION TO KEROGEN: A PATHWAY OF REVERSIBLE RARE EVENTS <u>VALDENAIRE, PIERRE-LOUIS</u> - PELLENQ, ROLAND - ULM, FRANZ-JOSEF - LEYSSALE, JEAN-MARC
0478	AGEING MECHANISMS OF SUPERCAPACITOR CARBON ELECTRODES DETERMINED BY ELECTROCHEMICAL ON-LINE MASS SPECTROMETRY BEGUIN, FRANCOIS - PRZYGOCKI, PATRYK - ABBAS, QAMAR - RATAJCZAK, PAULA
0480	THE STATE OF WATER ADSORBED IN CARBON NANOPORES LÁSZLÓ, KRISZTINA - CZAKKEL, ORSOLYA - GEISSLER, ERIK
0509	COAL FLY ASH DERIVED NANOCOMPOSITE FOR MERCURY REMOVAL FROM WASTEWATER TAUANOV, ZHANDOS - SHAH, DHAWAL - ITSKOS, GRIGORIOS - INGLEZAKIS, VASILEIOS - MIKHALOVSKA, LYUBA - MIKHALOVSKY, SERGEY
0511	RAPID ADSORPTION OF PRO-INFLAMMATORY CYTOKINES BY GRAPHENE NANOPLATELETS AND THEIR COMPOSITES MIKHALOVSKY, SERGEY - ZHENG, YISHAN - PESCATORE, NICHOLAS - GOGOTSI, YURY - DYATKIN, BORIS - INGAVLE, GANESH - MOCHALIN, VADYM - OZULUMBA, TOCHUKWU - SANDEMAN, SUSAN
0514	OPTIMIZATION OF PROCESSING PARAMETERS IN SOLUTION SPUN CNT FIBERS <u>DEWEY, OLIVER</u> - TAYLOR, LAUREN - PASQUALI, MATTEO
0597	HYDROLYSIS OF CELLULOSE CATALYZED BY OXIDIZED CARBON POWDER TAKATSUKI, AKIRA - NISHIHARA, HIROTOMO - HIRATANI, MASAHIKO - KANEEDA, MASATO - KURIHARA, YOSHIAKI - KYOTANI, TAKASHI
0634	TOWARDS UNKNOWN - ARE ALL CNTS' SYNTHESIS PATHWAYS ALREADY KNOWN? <u>ILNICKA, ANNA</u> - LUKASZEWICZ, JERZY
0663	SUSTAINABLE CARBON MATERIALS DERIVED FROM KRAFT BLACK LIQUOR AMARAL-LABAT, GISELE - F. QUIRINO, SANDRO - R BALDAN, MAURICIO - LEAL DA SILVA, ELEN - CUNA, ANDRES - F. MALFATTI, CELIA - L. MARCOS, RODRIGO - FB LENZ E SILVA, GUILHERME
0701	MECHANISMS OF CNTS GROWTH. UNDERSTANDING CHIRALITY, SHAPE, PENTAGON/HEPTAGON FORMATION CATALYSIS LOBO, LUIS
0702	ANALYSIS OF BOUND POLYMER IN CARBON-RUBBER INTERFACE BY USING CARBON-COATED ALUMINA NANOPERTICLES AS A MODEL FILLER HOSHIKAWA, YASUTO - KAWAGUCHI, REI - AKAHANE, HIDENOBU - ISHII, TAKAFUMI - HOSHINO, NORIHISA - AKUTAGAWA, TOMOYUKI - YAMADA, HIROSHI - KYOTANI, TAKASHI



FROM NANO- TO MACRO-SCALE: HYBRID MAGNETIC CARBON NANOCOMPOSITES AS A TOOL FOR CATALYTIC WET PEROXIDE OXIDATION

Rui S. Ribeiro^{1, 2*}, Adrián M.T. Silva², Joaquim L. Faria², Helder T. Gomes¹

¹ Laboratory of Separation and Reaction Engineering – Laboratory of Catalysis and Materials (LSRE-LCM), Instituto Politécnico de Bragança, 5300-253 Bragança, Portugal
 ² Laboratory of Separation and Reaction Engineering – Laboratory of Catalysis and Materials (LSRE-LCM), Faculdade de Engenharia, Universidade do Porto, 4200-465 Porto, Portugal

* rui.ribeiro@ipb.pt

Introduction

There is a need for technological innovation in the water sector worldwide, as a result of the growing demand for water supplies – meeting increasingly restricted quality criteria, while coping with the increasing scarcity of clean water sources¹. Under this context, the use of treated wastewater as an alternative water source has emerged as a topic of high priority². However, meeting current quality requirements for wastewater reuse is a great challenge, in which nanotechnology holds a great potential¹.

Catalytic wet peroxide oxidation (CWPO) is a promising water/wastewater treatment technology; it enables the formation of highly oxidizing hydroxyl radicals (HO $^{\circ}$) under atmospheric pressure and low to moderate temperatures, when a suitable catalyst is employed for the decomposition of hydrogen peroxide (H₂O₂)³. However, further improvement of catalyst design is still required in order to allow the scale-up of the CWPO technology towards real-scale applications.

Bearing this in mind, our work has been focused on the development of highly active and stable hybrid magnetic carbon nanocomposites for CWPO. A detailed catalyst design at the nanoscale, based on the understanding of the surface reactions and interactions involved in the CWPO process, has recently allowed us to move forward towards the treatment of a real industrial wastewater with high pollutant load – collected from a mechanical biological treatment (MBT) plant for municipal solid waste processing. This communication reports the findings obtained in the last four years by our research group in this quest. A particular emphasis is given to the synergistic effects arising from the combination of iron-based catalysts with the easily tuned properties of carbon-based materials.

Results and Discussion

A hybrid magnetic graphitic nanocomposite – composed by a magnetite core and a graphitic shell, was synthesized by hierarchical co-assembly of magnetite nanoparticles and carbon precursors. Following its application in CWPO, it was concluded about the role of the carbon shell. Specifically, the encapsulation of magnetite nanoparticles within carbon frameworks (i) enhances the catalytic activity in CWPO when compared to bare magnetite, while (ii) strongly limiting the leaching of iron species to the treated water. The first effect was ascribed to the increased adsorptive interactions between the carbon phase and the pollutant molecules, which enable a more intimate contact between the generated HO $^{\bullet}$ radicals and the pollutant. The lower metal leaching obtained with the nanocomposite catalyst was ascribed to the confinement effect promoted by the carbon shell. As a result of these positive effects, very high pollutant mass removals were obtained with a rather high efficiency of H₂O₂ consumption, and the composite catalyst was active for operating pH in the range $3-6^4$.

Seeking for catalyst optimization, the individual effects of the metal species employed in the nanostructured composites have been studied. It was found that the simultaneous incorporation of



cobalt and iron into carbon matrices (iii) increases the rate of HO radicals formation, and (iv) promotes a more efficient reduction of Fe³⁺ to Fe²⁺, thus limiting iron leaching⁵.

Based on the findings reported above, it was possible to design a high performance hybrid magnetic graphitic nanocomposite (CoFe₂O₄/MGNC) – composed by a cobalt ferrite core and a graphitic shell. In this way, the positive effects described in (i) to (iv) were combined in the same nanocomposite material. It was found that the application of this new generation catalyst enables the treatment of waste waters with high pollutant loads, such as that from the MBT plant considered in this study (cf. **Figure 1**). The biodegradability of the wastewater was enhanced during the treatment performed at pH 6, regardless of its high organic and inorganic content; disinfection was achieved and the treated water revealed no toxicity against selected bacteria. The high stability of CoFe₂O₄/MGNC for CWPO was demonstrated in a series of five CWPO reaction/magnetic separation sequential experiments in the same vessel⁶.




Figure 1. Representation of the CWPO treatment performed in the presence of CoFe₂O₄/MGNC.

Conclusions

The proper understanding of the catalyst properties at the nanoscale is fundamental in order to design materials with potential to be an effective tool for real-scale CWPO applications.

Acknowledgment

This work was supported by: Project POCI-01-0145-FEDER-006984 – Associate Laboratory LSRE-LCM funded by FEDER through COMPETE2020 – Programa Operacional Competitividade e Internacionalização (POCI) – and by national funds through FCT – Fundação para a Ciência e a Tecnologia. R.S. Ribeiro acknowledges the FCT individual Ph.D. grant SFRH/BD/94177/2013, with financing from FCT and the European Social Fund (through POPH and QREN).

References

- 1. Qu, X., Alvarez, P.J.J., Li, Q. (2013). Applications of nanotechnology in water and wastewater treatment. *Water Research* 47, 3931-3946.
- 2. Fatta-Kassinos, D., Manaia, C., Berendonk, T.U., Cytryn, E., Bayona, J., Chefetz, B., Slobodnik, J., Kreuzinger, N., Rizzo, L., Malato, S., Lundy, L., Ledin, A. (2015). COST Action ES1403: New and Emerging challenges and opportunities in wastewater REUSe (NEREUS). *Environmental Science and Pollution Research* 22, 7183-7186.
- 3. Ribeiro, R.S., Silva, A.M.T., Figueiredo, J.L., Faria, J.L., Gomes, H.T. (2016). Catalytic wet peroxide oxidation: a route towards the application of hybrid magnetic carbon nanocomposites for the degradation of organic pollutants. A review. *Applied Catalysis B: Environmental* 187, 428-460.
- 4. Ribeiro, R.S., Silva, A.M.T., Tavares, P.B., Figueiredo, J.L., Faria, J.L., Gomes, H.T. (2017). Hybrid magnetic graphitic nanocomposites for catalytic wet peroxide oxidation applications. *Catalysis Today* 280, 184-191.
- 5. Ribeiro, R.S., Silva, A.M.T., Figueiredo, J.L., Faria, J.L., Gomes, H.T. (2017). The role of cobalt in bimetallic iron-cobalt magnetic carbon xerogels developed for catalytic wet peroxide oxidation. *Catalysis Today* 296, 66-75.
- 6. Ribeiro, R.S., Rodrigues, R.O., Silva, A.M.T., Tavares, P.B., Carvalho, A.M.C., Figueiredo, J.L., Faria, J.L., Gomes, H.T. (2017). Hybrid magnetic graphitic nanocomposites towards catalytic wet peroxide oxidation of the liquid effluent from a mechanical biological treatment plant for municipal solid waste. *Applied Catalysis B: Environmental* 219, 645-657.